

To: CN=Karen Schwinn/OU=R9/O=USEPA/C=US@EPA[]
Cc: CN=Tom Hagler/OU=R9/O=USEPA/C=US@EPA[]
From: CN=Bruce Herbold/OU=R9/O=USEPA/C=US
Sent: Wed 5/9/2012 4:55:31 PM
Subject: Re: WQCP

Not per se -- FWS/DOI calls for X2 consideration (or delta smelt consideration) in summer and fall in addition to spring. For Longfin smelt they note the importance of Winter and Spring outflow/X2.

btw, in the 95 plan the board adopted year-round outflow standards that were given with no basis; they are largely superfluous to CCWD and delta ag salinity requirements.

Bruce Herbold
USEPA Fish Biologist
(415) 972 3460

"If 90% of the ideas you generate aren't absolutely worthless, then you're not generating enough ideas". --
Michael Artin

From: Karen Schwinn/R9/USEPA/US
To: Bruce Herbold/R9/USEPA/US@EPA
Cc: Tom Hagler/R9/USEPA/US@EPA
Date: 05/08/2012 09:31 PM
Subject: WQCP

In comments you've read so far, is anyone recommending a year round standard?

~~~~~  
KAREN SCHWINN  
Associate Director  
Water Division  
U.S. EPA Region 9  
75 Hawthorne Street (Wtr-1)  
San Francisco, CA 94105  
415/972-3472  
415/297-5509 (mobile)  
415/947-3537 (fax)  
~~~~~